Peregrine Falcon References

- Anderson, D.E., O.J. Ronstad, and W.R. Mytton. 1990. Home range changes in raptors exposed to increased human activity levels in Southeastern Colorado. Wilderness Soc. Bull. 18:134-142.
- Brown, B.T. and L.E. Stevens, 1997. Winter bald eagle distribution is inversely correlated with human activity along the Colorado River, Arizona. Journal of Raptor Research, 319:7-10.
- Brown, D. E. 1982. Biotic communities of the American southwest-United States and Mexico. Desert Plants 1-4.
- Burger, J. 1985. Factors affecting bird strikes on aircraft at a coastal airport. Biol. Conserv.33:1-28.
- Conover, M.R., W.C. Pitt, K.K. Kessler, T.J. Dubow and W.A. Sanborn. 1995. Review of human injuries, illnesses and economic losses caused by wildlife in the United States. Wildl. Soc. Bull. 23:407-414.
- Craig T.H. and E.H. Craig. 1984. Results of a helicopter survey on cliff nesting raptors in a deep canyon in southern Idaho. Raptor research 18:20-25.
- Frazer, J.D., L.D. Franzel, and J.G. Mathisen. 1985. The impacts of human activity on breeding bald eagles in North-Central Minnesota. J. Wildl. Manage. 49:585-592.
- Grubb, T.G. and R. M. King. 1991. Assessing human disturbance of breeding bald eagles with classification tree models. J. Wildl. Manage. 55:501-512.
- Knight, R. L., and K. J. Gutzweiller, eds., 1995. Wildlife and Recreationists Coexistence Through Management and Research. Island Press, Washington, D.C.
- NPS. 1991. Natural Resources Management Guideline, NPS-77. USDI. Washington. D.C.
- Peregrine Fund Field Notes 1998-1999.
- Peregrine Fund 1996. Final Environmental Assessment: Experimental Release of California Condors at the Vermilion Cliffs (Coconino County, Arizona).